AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of claims:

1-17. (**Cancelled**)

18. (Currently Amended) A pharmaceutical composition comprising a therapeutically effective amount of a monoclonal antibody or an antigen binding fragment thereof that specifically binds to <u>a</u>ribitol phosphate wall teichoic acid (WTA) <u>of Figure 1A</u> of *S. aureus*, wherein said therapeutically effective amount of said antibody or fragment thereof alleviates or blocks <u>nasal</u> colonization or infection by *S. aureus* upon administration to a patient.

19.-20. (**Cancelled**)

- 21. **(Original)** The composition of claim 18, wherein the composition comprises a multiplicity of MAbs that specifically bind WTA
- 22. **(Original)** The composition of claim 18, wherein the composition comprises a chimeric antibody that specifically binds to WTA.
- 23. (**Original**) The composition of claim 18, wherein the composition comprises a humanized antibody that specifically binds to WTA.
- 24. **(Original)** The composition of claim 18, wherein the composition comprises a human antibody that specifically binds to WTA.
- 25. (**Previously Presented**) The composition of claim 18, wherein the fragment is chosen from the group consisting of Fab, Fab¹, F(ab')2, Fv, SFv, and scFv fragments.

26.-27. (Cancelled)

28. **(Previously Presented)** A passive immunotherapy_comprising: (a) the composition of claim 18; and (b) a pharmaceutically acceptable carrier.

29.-38. (Cancelled)

- 39. (Withdrawn) A method for preventing or treating a staphylococcal infection in a patient, which comprises instilling into the patient a prophylactically or therapeutically effective amount of the composition of claim 18.
- 40. (Withdrawn) The method of claim 39, wherein the composition comprises a polyclonal antibody that specifically binds to WTA.
- 41. **(Withdrawn)** The method of claim 39, wherein the composition comprises a monoclonal antibody that specifically binds to WTA.
- 42. **(Withdrawn)** The method of claim 39, wherein the composition comprises a multiplicity of Mabs that specifically bind WTA, wherein the Mabs have non-identical amino acid sequences.
- 43. **(Withdrawn)** The method of claim 39, wherein the composition comprises a chimeric antibody that specifically binds to WTA.
- 44. **(Withdrawn)** The method of claim 39, wherein the composition comprises a humanized antibody that specifically binds to WTA.
- 45. **(Withdrawn)** The method of claim 39, wherein the composition comprises a human antibody that specifically binds to WTA.
- 46. **(Withdrawn)** The method of claim 39, further comprising the instillation of at least one anti-staphylococcal drug.

47. **(Withdrawn)** The method of claim 46, wherein the anti-staphylococcal drug comprises lysostaphin, nisin, or both.

- 48. **(Withdrawn)** The method of claim 39, wherein the staphylococcal infection is selected from a localized infection, a systemic infection, and a contamination of a foreign body.
- 49. **(Withdrawn)** The method of claim 39, wherein the antibody fragments are chosen from Fab, Fab', F(ab')₂, Fv, SFv, and scFv.
- 50. (**Withdrawn**) The method of claim 39, wherein the staphylococcal infection is an *S. aureus* infection.
- 51. **(Withdrawn)** The method of claim 39, wherein the instilling comprises one or more of nasal instillation, oral instillation, airway instillation, or systematic instillation.
- 52. (Withdrawn) The method of claim 39, wherein the patient is at risk of, or suffers from, at least one of cystic fibrosis, staphylococcal pneumonia, a staphylococcal contamination of a foreign body, a staphylococcal infection, and staphylococcal nasal colonization.
 - 53. (Withdrawn) The method of claim 39, wherein the patient is a mammal.
 - 54. (Withdrawn) The method of claim 39, wherein the patient is human.
- 55. **(Withdrawn)** The method of claim 39, wherein the staphylococcal infection comprises *S. aureus*.
- 56. **(Withdrawn)** The method of claim 39, further comprising the instillation of a therapeutically effective amount of at least one antibiotic anti-staphylococcal drug.
- 57. (Withdrawn) The method of claim 56, wherein the at least one antibiotic antistaphylococcal drug comprises mupirocin, bacitracin, or both.

58. **(Withdrawn)** The method of claim 39, further comprising the instillation of a therapeutically effective amount of at least one lanthione-containing molecule.